


2011 GERBER INSTITUTIONAL REFERENCE GUIDE



GERBER. WE'VE BEEN THERE FOR YOU SINCE THE MARK II, CREATING THE PRODUCTS YOU CAN TRUST TO DELIVER IN LIFE OR DEATH SITUATIONS. SEE OUR NEW LINE OF PRODUCTS THAT CONTINUE TO PROVIDE THIS HIGH LEVEL OF PERFORMANCE AND INSTILL CONFIDENCE.



CONTENTS

2011 NEW PRODUCTS	3-13
LIGHTS	14
KNIVES	
Automatic Knives	15
Fixed Blade Knives	16
Clip Folding Knives	16
Folding Sheath Knives	17
TOOLS	18
EQUIPMENT	21



GERBER STANDS BEHIND EVERY KNIFE AND MULTI-TOOL IT MAKES WITH THE INDUSTRY'S STRONGEST WARRANTY. WHILE THE DETAILS ARE INCLUDED WITH EVERY PRODUCT, SIMPLY PUT, WE WILL REPAIR OR REPLACE ANY DEFECTIVE PRODUCT — FOREVER. YES, IT'S THAT EASY.

*For full warranty details go to militarygerber.com

ORDERING INFORMATION



OPERATIONAL EQUIPMENT
& LOGISTICS SOLUTIONS

Gerber Distributor
www.adsinc.com
Toll Free: 1.800.948.9433

DIRECT MILITARY SALES
govsales@gerbergear.com
800.950.6161 x1223
Contract: GS-06F-0015J
Gerber Legendary Blades Cage Code: ORAU7
Duns: 803836345

2011 NEW PRODUCTS

HFR-M™

Versatility is a vital component of success in current combat operations. The HFR-M (Hands Free Recon) brings this to the fight, acting as a force multiplier giving the warfighter the ability to do more.

- Mounting - mounted to the helmet, MOLLE vest, hand-held or table-top this light brings high intensity illumination where it is needed.
- 360° Light Articulation - for visibility at every angle.
- Four Color Outputs - White, Red, NVIS (low detection by NVG's & full color rendering for map reading) and IR.
- Multi-Mode Output - LOW, MEDIUM, HIGH or BEACON mode.
- Interchangeable Battery Technology - (AA or CR123) Troops downrange simply need to grab whatever is available and roll out.

All in all, this light will last for hours off of a single battery.

FEATURES

- .. ACH Mount System
- .. MOLLE Clip Mount
- .. Twist-Off Tail Cap
- .. Hard Anodized Aluminum Body
- .. Multi-Lens with 4 Outputs
- .. Oversized Mode-Selector / On/Off Switch
- .. Plunge Lock & Release Button

TECH SPECS

- .. Size: 2.99" x 2.99" x 1.74"
- .. Weight: 3.92 oz. / CR123 Battery & helmet mount
- .. Weight: 4.19 oz. / AA Battery
- .. Lumens: 59 Lumens / 100 Lumen Burst capability
- .. Run Time: 6.00 hours
- .. AA or CR123 Batteries



OVERSIZED MODE-SELECTOR & ON/OFF SWITCH FOR EASE OF USE WITH GLOVES

PLUNGE LOCK & RELEASE BUTTON

MULTI-LENS FILTER WITH FOUR OUTPUTS

DURABLE ACH MOUNT SYSTEM

HARD ANODIZED "AIRCRAFT-GRADE" ALUMINUM BODY

TWIST-OFF TAIL CAP FOR EASY BATTERY REPLACEMENT (AA OR CR123)

NVIS



WHITE



RED



IR



P/N: 30-000287

RECON-M II™

The Recon-M II provides the soldier with an efficient hand held L.E.D. light with an integrated color changing lens system that allows for a quick tactical change of filtered lenses.

FEATURES

- Quiet Tactile Detent
- Integrated Filters for Multiple Colors
- Aggressive Knurling
- Twist On/Off Tail Cap
- Reversible MOLLE-Compatible Clip

TECH SPECS

- Overall Length: 5.75"
- Weight: 4.75 oz.
- Lumens: 44 Lumens
- Run Time: 4.25 hours
- (2) CR123 Batteries



NVIS




WHITE



RED



IR



P/N: 22-80132
NSN: 6230-01-574-2739

EXPERT-M™

Military specific flashlight with high output energy efficient white L.E.D. in a rugged compact design. Large tail cap button is designed for continual use as well as signaling. Reversible universal clip, is attachable to MOLLE webbing and para-cord adaptable. Waterproof to 3 meters.

FEATURES

- .. Anti-Roll Bezel
- .. Large Push Button ON/OFF Switch
- .. Reversible MOLLE-Compatible Clip
- .. Waterproof to 3 meters

TECH SPECS

- .. Overall Length: 5.50"
- .. Weight: 5.25 oz.
- .. Lumens: 103 Lumens
- .. Burn Time: 3.5 hours
- .. (2) CR123 Batteries

SCALLOPS FOR
LIGHT DETECTION
ON FLAT SURFACE

REVERSIBLE MOLLE-
COMPATIBLE CLIP

OVERSIZED MODE-SELECTOR &
ON/OFF SWITCH FOR EASE OF
USE WITH GLOVES

LARGE PUSH BUTTON
FOR MOMENTARY USE
AND SIGNALLING

ANTI-ROLL BEZEL

P/N: 22-80131
NSN: 6230-01-574-2749



06 COMBAT FOLDER

The 06 Combat Folder is a knife that is designed for everyday use. This highly functional utility blade gets the job done right the first time. Whether in combat or tackling other mission essential tasks, soldiers can rely on the superior quality and functionality this knife delivers. The unique plunge lock design is easy to use when wearing gloves and provides an additional safety measure by keeping fingers clear from the blade while it closes.

FEATURES

- .. Made in the USA
- .. Drop Point
- .. Combination Fine and Serrated Edge Blade
- .. Deep Finger Grooves
- .. Emergency Egress Strike Point on Pommel
- .. 550 Cord Lanyard Hole on Pommel
- .. Dual Thumbstuds
- .. S30V Steel Blade

TECH SPECS

- .. Blade Length: 3.625"
- .. Overall Length: 8.625"
- .. Weight: 6.72 oz.



PLUNGE LOCK ALLOWS FOR EASE OF USE WHILE WEARING GLOVES

POMMEL DESIGNED WITH STRIKE POINT FOR EMERGENCY EGRESS AND LANYARD HOLE TO FIT 550 CORD

DUAL THUMBSTUDS

DEEP FINGER GROOVES ALLOW FOR SECURE GRIP IN THE HAND

S30V STEEL BLADE OFFERS THE BEST COMBINATION OF TOUGHNESS, WEAR RESISTANCE AND CORROSION RESISTANCE

DROP POINT

COMBINATION EDGE GIVES USER BOTH FINE AND SERRATED EDGE CAPABILITES

P/N: 30-000308
NSN: 1095-01-535-5733

D.M.F™

D.M.F., or Dual Multi Function, is an automatic knife that springs into action with either the right or left hand. While using gloves, this robust knife can be carried and deployed in either strong or weak hand. The D.M.F. is available with a modified drop point as well as a tanto blade. The S30V steel blade boasts superior edge retention and corrosion resistance. The G-10 handle offers a mix of strength and low weight. The pommel is designed with a strike point for emergency egress.

FEATURES

- Made in the USA
- Tanto or Modified Drop Point Blade
- Reversible Pocket Clip
- Emergency Egress Strike Point on Pommel
- G-10 Handle, Black Fiberglass & Resin
- Ambidextrous Blade Release
- Safety Lock
- CPM S30V Blade Steel
- Black Oxide Coating on Blade

TECH SPECS

- Blade Length: 3.5"
- Overall Length: 7.35"
- Weight: 6.7 oz.



MODIFIED
DROP POINT

S30V BLADE STEEL
WITH BLACK OXIDE COATING

TANTO BLADE

Tanto P/N: 30-000190
Drop Point P/N: 30-000184
NSN: 4220-01-591-5483



G-10 HANDLE, BLACK FIBERGLASS &
RESIN FOR ULTIMATE GRIP WITH OR
WITHOUT GLOVES

AMBIDEXTROUS
BLADE RELEASE

SAFETY LOCK WITH
RED DESIGNATOR

REVERSIBLE
POCKET CLIP

POMMEL WITH
STRIKE POINT

DEEP FINGER
GROOVES

S.A.H.™

The S.A.H. (Safety Auto Hook) knife enhances the benefits of Gerber knife technology with the addition of a DZUS fastener/Flat driver as well as a Safety Auto Hook. This knife not only allows the war fighter to effectively slash away rigging and harnesses with the push of a button, but troops can use the Safety Auto Hook to more easily exit downed aircraft and damaged vehicles and take the fight to the enemy. During an emergency situation there are precious few seconds that separate life and death. The S.A.H. has been made to allow our military customer to capture those seconds and use them to their advantage.

FEATURES

- .. Made in the USA
- .. Drop Point
- .. S30V Steel Combo Edge Blade
- .. G-10 Handle
- .. Safety Auto Hook
- .. Safety Auto Hook Deployment Button
- .. Hook Safety Switch
- .. DZUS Fastener/Flat Driver
- .. Dual Thumbstuds

TECH SPECS

- .. Blade Length: 3.6"
- .. Open Blade Length: 8.4"
- .. Open Hook Length: 6.0"
- .. Closed Length: 5.1"
- .. Weight: 6.7 oz.



Box: 30-000185

STRAP CUTTER

The Strap Cutter is a one handed deployment cutter for quick access to cut strap, webbing, belts and clothing in emergency situations. Built for use with tactical gloves. Allows soldier to place one finger through frame for positive grip. Constructed of one-piece 420HC stainless steel and injection molded grip. Ships with both a Malice and MOLLE Clip. Comes in multiple colors to meet soldier needs.

FEATURES

- Made in the USA
- Single Bevel Knife Edge with Blunt Hook
- Stainless Steel Construction; Black Oxide Coating
- Textured Back Edge
- Injection Molded Rubber Grip
- Glass Breaker/Lanyard Hole
- Finger Hook
- Extra Large Finger Hole

TECH SPECS

- Overall Length: 4.375" x 2"
- Weight: 2.25 oz.

PLASTIC INJECTION MOLDED SHEATH
POSITIVELY LOCKS CUTTER ON MOLLE
WEBBING WITH EASY DEPLOYMENT



CABLE DAWG™

Whether supporting troops working on fiber, IT, telecom or satellite, the Cable Dawg provides Gerber's military customer with the specific tools needed to maintain communications efforts in a high-tempo combat environment. Additionally, this tool meets the military objective of reducing a soldier's load by bringing the functionality of many tools into an effective all-in-one package.

FEATURES

- .. Made in the USA
- .. Wire/Cable Cutter
- .. CAT5 Jacket Cutter
- .. Spring Loaded Jaw
- .. RJ45 Crimper Head
- .. Wire Strippers
- .. Glass-Filled Nylon Molded Handles
- .. Combo Edge Knife Blade with Jacket Cutter
- .. Detachable Component Handle
- .. Magnetic Driver Extension
- .. Multiple Driver Storage Compartment

TECH SPECS

- .. Length: 7.5"
- .. Weight: 13.8 oz.



P/N: 30-000361 ACU SHEATH
 P/N: 30-000397 COYOTE BROWN SHEATH
 P/N: 30-000398 MULTICAM SHEATH

eFECT™


The eFECT™ weapons tool was developed for the distinct purpose of cleaning and maintaining M4/M16 weapons systems. Whether you're at the range or on patrol, the eFECT incorporates components that make field cleaning faster and more precise. It's compatible and interchangeable with the OTIS™ cleaning components such as brushes, scrapers, picks and rods.

FEATURES

- Made in the USA
- Stainless Steel - Black
- Black Berry-Compliant Sheath
- Interchangeable OTIS™ Cleaning Components
- Patented Saf-T-Lock
- Flat Driver

TECH SPECS

- Overall Length: 8.0"
- Closed Length: 4.75"
- Width Closed: 1.25"
- Weight: 4.0 oz.



P/N: 30-000030
NSN: 5120-01-578-4888

COMBAT ENGINEER KIT

The Combat Engineer Kit was built specifically for the Combat Engineer. This kit incorporates our mine probe system and combines it with our D.E.T.[™] Multiplier, Recon-M II[™] and Concertina[™] Cutter. The kit allows for quick work of explosives and barriers all stored within a compact MOLLE adaptable sheath.

FEATURES

- Concertina Cutter
- Mine Probe Kit
- D.E.T. Multi-Tool
- Recon-M II Flashlight
- Available with ACU or Coyote Brown MOLLE-Compatible Sheath

TECH SPECS

- Total Kit Weight: 2.7 lbs
- Sheath with Components dimensions: 9" x 5.5"
- Concertina Cutter: 1.125lbs
- D.E.T. Multi-Tool: 9.0 oz.
- Recon-M II: 3.46 oz.
- Mine Probe Kit: 13.6 oz.



CONCERTINA CUTTER



P/N: 30-000125
NSN: 5180-01-578-4887
MOLLE-COMPATIBLE ACU SHEATH



P/N: 30-000126
NSN: 5180-01-578-4886
MOLLE-COMPATIBLE COYOTE BROWN SHEATH



RECON-M II



D.E.T. MULTI-TOOL



MINE PROBE KIT

I.D. KIT

The Individual Deployment Kit gives the Soldier the ability to: maintain their weapon; see what they are doing in low light conditions; tackle almost any task requiring a tool; and cut out of any emergency situation. This kit puts the individual equipment close at hand to get the job done in a lightweight, easy to carry nylon sheath.

FEATURES/COMPONENTS

- Made in the USA
- MP 600
- Recon-M II
- MOLLE-Compatible Tactical Nylon Sheath
- Safety Strap Cutter
- eFECT
- Berry-Compliant Sheath

TECH SPECS

- Total Kit Weight: 24.04 oz.
- Sheath with Components dimensions: 4" x 2" x 6"
- Sheath: 5.0 oz.
- eFECT: 5.0 oz.
- MP 600: 8.16 oz.
- Recon-M II: 3.46 oz.
- Strap Cutter: 2.21 oz.

MOLLE-COMPATIBLE,
TACTICAL, NYLON SHEATH



P/N: 30-000365 ACU



P/N: 30-000366 COYOTE BROWN

P/N: 30-000367 MULTICAM



eFECT - BOLSTERS
WEAPONS MAINTENANCE



RECON-M II -
AIDS SITUATIONAL
AWARENESS



SAFETY STRAP CUTTER -
ENHANCES SAFETY RESPONSE



MP 600 - INCREASES TASK
EFFICIENCIES




LIGHTS



EXPERT-M™

P/N/ UPC / NSN

P/N: 22-80131
UPC: 0-13658-80131-8
NSN: 6230-01-574-2749

Light Color:  WHITE

SPECS

Overall Length: 5.50"
Weight: 5.25 oz.
Lumens: 103
Run Time: 3 hours 30 minutes
Batteries: (2) CR123

NEW



HFR-M™

P/N: 30-000287
UPC: 0-13658-11963-5

Light Color:  WHITE  RED  IR  NIVS


Overall Length: 2.99"
Weight: 3.9 oz./CR123 & Helmet mount 4.99oz.
Weight: 4.2 oz./AA Battery
Lumens: 59 Lumens/100 Lumen
Burst capability
Run Time: 6 hrs
Batteries: AA or CR123



RECON-M™ II

P/N: 22-80132
UPC: 0-13658-80132-5-
NSN: 6230-01-574-2739

Light Color:  WHITE  RED  IR  NIVS

Overall Length: 5.75"
Weight: 4.75 oz.
Lumens: 44 Lumens
Run Time: 4.25
Batteries: (2) CR123



RECON-M CPL™

P/N: 22-80075
UPC: 0-13658-80075-5
NSN: 6230-01-544-2283

Light Color:  WHITE  RED  IR  NIVS

Overall Length: 3.3"
Weight: 2.2 oz.
Lumens: 3 Lumens
Run Time: 25 Hours
Batteries: (1) AA



RECON-M TASK LIGHT™

P/N: 22-80017
UPC: 0-13658-80017-5
NSN: 6230-01-544-2149

Light Color:  WHITE  RED  GREEN  BLUE

Overall Length: 3.3"
Weight: 2.2 oz.
Lumens: 3 Lumens
Run Time: 25 hours
Batteries: (1) AA



RECON-M™ WITH IR TAIL CAP UPGRADE

P/N: 22-80018
UPC: 0-13658-80018-2
NSN: 6230-01-544-2263


Light Color:  WHITE  RED  GREEN  BLUE

Overall Length: 6.5"
Weight: 4.9 oz.
Lumens: 3
Run Time: 28 hrs
Batteries: (1) AA



IR TAIL CAP UPGRADE FOR RECON-M

P/N: 22-80002
UPC: 0-13658-80002-1
NSN: 6230-01-544-2141

Light Color:  IR


Overall Length: 2.5"
Weight: 1.3 oz.
Lumens: N/A
Run Time: 10 hrs
Batteries: (3) LR44





AUTOMATIC KNIVES

	P/N	UPC	NSN	SPECS
 <p>06 AUTO G-10 SERRATED EDGE - TANTO</p>	30-000193	0-13658-11665-8	5110-01-516-3243	Blade Length: 3.8" Overall Length: 8.5" Closed Length: 4.7" Weight: 6.3 oz. Handle: G-10
 <p>06 AUTO SERRATED EDGE - DROP POINT - S30V</p>	22-01397	0-13658-01397-1	1095-01-446-4348	Blade Length: 3.8" Overall Length: 8.5" Closed Length: 4.7" Weight: 5.7 oz. Handle: 6061 Aluminum
 <p>06 AUTO SERRATED EDGE - TANTO - S30V</p>	22-010550S	0-13658-01055-0	1095-01-456-4457	Blade Length: 3.7" Overall Length: 8.5" Closed Length: 5.5" Weight: 7.00 oz. Handle: 6061 Aluminum
 <p>APPLEGATE-FAIRBAIRN™ COVERT AUTOMATIC™ SERRATED EDGE - S30V</p>	30-000137	0-13658-11411-1	5110-01-539-9990	Blade Length: 3.78" Overall Length: 8.7" Closed Length: 4.92" Weight: 5.0 oz. Handle: 6061 Aluminum
 <p>D.M.F.™ SERRATED EDGE - MODIFIED CLIP POINT</p>	30-000184	0-13658-11589-7	4220-01-591-5483	Blade Length: 3.5" Overall Length: 8.38" Closed Length: 4.75" Weight: 6.2 oz. Handle: G-10
 <p>D.M.F.™ SERRATED EDGE - TANTO</p>	30-000190	0-13658-11612-2		Blade Length: 3.5" Overall Length: 8.38" Closed Length: 4.75" Weight: 6.2 oz. Handle: G-10

FIXED BLADE KNIVES

	P/N	UPC	NSN	SPECS
 <p>LMF™ II ASEK & INFANTRY ASEK SYSTEM - FG504,</p>	22-016276	0-13658-01627-9	1095-01-552-5218	Blade Length: 4.84" Overall Length: 10.59" Weight: 11.40 oz. Sheath: Molded Plastic Handle: TacHide™
 <p>STRAP CUTTER™ SINGLE BEVEL & HOOK- TAN 499</p>	30-000364	0-13658-12230-7		Overall Length: 4.375" Weight: 2.25 oz. Sheath: Molded Plastic Handle: Glass-filled Nylon
 <p>STRAP CUTTER™ SINGLE BEVEL & HOOK- COYOTE BROWN</p>	30-000132	0-13658-11414-2	5110-01-578-4889	Overall Length: 4.375" Weight: 2.25 oz. Sheath: Molded Plastic Handle: Glass-filled Nylon
 <p>STRAP CUTTER™ SINGLE BEVEL & HOOK- FG504 GREEN</p>	22-01943	0-13658-12230-7	2590-01-576-2424	Overall Length: 4.375" Weight: 2.25 oz. Sheath: Molded Plastic Handle: Glass-filled Nylon
 <p>STRAP CUTTER™ SINGLE BEVEL & HOOK- BLACK</p>	22-01944	0-13658-01944-7	5110-01-578-4890	Overall Length: 4.375" Weight: 2.25 oz. Sheath: Molded Plastic Handle: Glass-filled Nylon

CLIP FOLDING KNIVES

 <p>06 COMBAT FOLDER™ SERRATED EDGE - DROP POINT</p>	30-000308	0-13658-12259-8	1095-01-535-5733	Blade Length: 3.625" Overall Length: 8.625" Closed Length: 5.0" Weight: 8.625 oz. Handle: 6061 Aluminum
 <p>APPLEGATE-FAIRBAIRN™ COVERT SERRATED EDGE - DOUBLE BEVEL BLACK BLADE</p>	05786	0-13658-05786-9		Blade Length: 3.78" Overall Length: 8.70" Closed Length: 4.92" Weight: 4.20 oz. Handle: Glass-filled Nylon

**E-Z OUT™ DPSF**SERRATED EDGE -
BLACK BLADE

22-016486 0-13658-01648-4 5110-01-452-2215

Blade Length: 3.50"
Overall Length: 8.50"
Closed Length: 5.00"
Weight: 2.80 oz.
Handle: Glass-filled Nylon**E-Z OUT™ DPSF**SERRATED EDGE -
SATIN BLADE

22-016436 0-13658-01643-9 5110-01-451-0707

Blade Length: 3.50"
Overall Length: 8.50"
Closed Length: 5.00"
Weight: 2.80 oz.
Handle: Glass-filled Nylon**NEW****S.A.H.™**

SERRATED EDGE - MODIFIED CLIP POINT

30-000185 0-13658-12259-8

Blade Length: 3.60"
Overall Length : 8.30" [Blade]
Overall Length : 6.00" [Hook]
Closed Length: 5.12"
Weight: 6.70 oz.
Handle: G-10

FOLDING SHEATH KNIVES

**APPLEGATE-FAIRBAIRN™ COMBAT FOLDER WITH SHEATH**

SERRATED EDGE

05780 0-13658-05780-7 5110-01-436-1548

Blade Length: 4.48"
Overall Length: 10.06"
Closed Length: 5.58"
Weight: 7.40 oz.
Handle: Glass-filled Nylon Black**APPLEGATE-FAIRBAIRN™ COMBAT FOLDER WITH SHEATH**

SERRATED EDGE

22-01608 0-13658-01608-8 5110-01-539-9985

Blade Length: 4.48"
Overall Length: 10.06"
Closed Length: 5.58"
Weight: 7.40 oz.
Handle: Glass-filled Nylon FG504

TOOLS



NEW



CABLE DAWG™

Wire/Cable Cutter, CAT5 Jacket Cutter, Spring Loaded Jaw, RJ45 Crimper Head, Wire Strippers, Combo Edge Knife Blade with Jacket Cutter, Detachable Component Handle, Magnetic Driver Extension, Multiple Driver Storage Compartment.

ACU SHEATH:

P/N: 30-000361 UPC: 0-13658-11216-1

COYOTE BROWN SHEATH:

P/N: 30-000397 UPC: 0-13658-12350-2

MULTI-CAM SHEATH:

30-000398 UPC: 0-13658-12351-9

Overall Length: 7.5"

Weight: 13.8 oz. Sheath: Ballistic Nylon

D.E.T.™

Needlenose Pliers With Blasting Cap Crimper, Wire Cutter, Wire Crimper, C4 Punch, Fine Edge Knife, Remgrit™ Saw With Universal Coupler, Cross Point Screwdriver, Large Flat Blade Screwdriver, Lanyard Ring, Can Opener, File

P/N: 07400

UPC: 0-13658-07400-2

NSN: 5110-01-462-3400

Overall Length: 6.61"

(Saf.T.Plus™)

Closed Length: 5.04"

(Stainless Steel - Black)

Weight: 9.0 oz.

Sheath: Ballistic Nylon

DIESEL - BLACK

Needle Nose Pliers, 1/2 Fine Edge Et Serrated Blade, Saw, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Lanyard Ring, Bottle Opener, Can Opener, Scissors, File, Wire Cutters, Ballistic Nylon Sheath

P/N: 22-01545

UPC: 0-13658-01545-6

NSN: 5110-01-540-0152

Overall Length: 6.61"

(Saf.T.Plus™)

Closed Length: 4.92"

(Stainless Steel)

Weight: 9.0 oz.

Sheath: Ballistic Nylon

eFECT™

Interchangeable Tool Component: OTIS™ Nylon End Brush, Patented Saf-T-Plus™ Lock, Front Sight Post Adjuster, Flat Driver/Scraper, Interchangeable Tool Component: OTIS™ Curved Pick, Punch, Scraper, ACU Sheath

P/N: 30-000030

UPC: 0-13658-11187-5

NSN: 5120-01-578-4888

Overall Length: 8.0"

(Saf.T.Plus™)

Closed Length: 3.5"

(Stainless Steel - Black)

Weight: 3.8 oz.

Sheath: Ballistic Nylon

S.H.O.T = Single Handed Opening Technology.




FREEHAND™ - BLACK

Needle Nose Pliers. Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, Scissors, V Cut Wire Cutters, Ballistic Nylon Sheath

P/N: 22-01513 UPC: 0-13658-01513-5
NSN: 5110-01-539-9992

Overall Length: 7.0" [Saf.T.Plus™]
Closed Length: 5.25" [Stainless Steel]
Weight: 13.6 oz. Sheath: Ballistic Nylon



LEGEND™

Needle Nose Pliers. 1/2 Fine Edge & Serrated Blade, Remgrit Saw™, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Bottle Opener, Scissors, File, Tungsten Carbide Cutters, Ballistic Nylon Berry-Compliant Sheath

P/N: 0823961 UPC: 0-13658-08239-7
NSN: 5110-01-475-2144

Overall Length: 6.57" [Saf.T.Plus™]
Closed Length: 4.29" [Stainless Steel - E-Coat]
Weight: 9.8 oz. Sheath: Ballistic Nylon



MP 400 COMPACT SPORT - BLACK

Needle Nose Pliers, 1/2 Fine Edge & Serrated Blade, Phillips Driver, Small Flat Driver, Medium Driver, Large Driver, Bottle Opener, Can Opener, Scissors, Wire Cutters, Wire Stripper, Ballistic Nylon Berry-Compliant Sheath

P/N: 22-0550961 UPC: 0-13658-05509-4
NSN: 5110-01-539-9996

Overall Length: 5.63" [Saf.T.Plus™]
Closed Length: 4.37" [Stainless Steel]
Weight: 6.8 oz. Sheath: Ballistic Nylon




MP 600 BASIC

Needle Nose Pliers. Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, File, Wire Cutters, Wire Crimper, Ballistic Nylon Sheath

P/N: 075306 UPC: 0-13658-07530-6
NSN: 5110-01-394-6249

Overall Length: 6.61" [Saf.T.Plus™]
Closed Length: 5.04" [Stainless Steel]
Weight: 9.0 oz. Sheath: Ballistic Nylon



MP 600 - TUNGSTEN CARBIDE - BLACK

Needle Nose Pliers, Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, File, Tungsten Carbide Wire Cutters, Wire Crimper, Ballistic Nylon Berry-Compliant Sheath

P/N: 0755061 UPC: 0-13658-06895-7
NSN: 5110-01-394-6252

Overall Length: 6.61" [Saf.T.Plus™]
Closed Length: 5.04" [Stainless Steel]
Weight: 9.00 oz. Sheath: Ballistic Nylon



MP 600 - TUNGSTEN CARBIDE - BLACK - WITH LEATHER SHEATH

Needle Nose Pliers, Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, File, Tungsten Carbide Wire Cutters, Wire Crimper, Leather Sheath

P/N: 30-000314 UPC: 0-13658-12059-4
NSN: 5110-01-321-8805

Overall Length: 6.61" [Saf.T.Plus™]
Closed Length: 5.04" [Stainless Steel]
Weight: 9.00 oz. Sheath: Leather



MP 600 - TUNGSTEN CARBIDE - SATIN FINISH - WITH LEATHER SHEATH

Needle Nose Pliers, Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, File, Tungsten Carbide Wire Cutters, Wire Crimper, Leather Sheath

P/N: 075356 UPC: 0-13658-06895-7
NSN: 5110-01-394-6251

Overall Length: 6.61" [Saf.T.Plus™]
Closed Length: 5.04" [Stainless Steel]
Weight: 9.00 oz. Sheath: Leather



MP 600 - BLUNTNOSE - TUNGSTEN CARBIDE

BluntNose Pliers, Fine Edge Knife, Serrated Knife, Phillips Driver, Small Flat Driver, Medium Flat Driver, Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener, Can Opener, File, Tungsten Carbide Wire Cutters, Wire Crimper, Ballistic Nylon Sheath

P/N: 075006 UPC: 0-13658-07500-9
NSN: 5110-01-346-5339

Overall Length: 6.38" [Saf.T.Plus™]
Closed Length: 4.88" [Stainless Steel]
Weight: 9.0 oz. Sheath: Ballistic Nylon



**MP 600 - BLUNTNOSE -
TUNGSTEN CARBIDE**
- WITH TOOL KIT

P/N: 07510G UPC: 0-13658-07510-8
NSN: 5110-01-385-7354

- WITH LEATHER SHEATH

P/N: 07505G UPC: 0-13658-07505-4
NSN: 5110-01-346-5340

Overall Length: 6.38" (Saf.T.Plus™)
Closed Length: 4.88" (Stainless Steel)
Weight: 9.0 oz. Sheath: Ballistic Nylon



**MP 600 - BLUNTNOSE - TUNGSTEN
CARBIDE - BLACK**

BluntNose Pliers, Fine Edge Knife, Serrated Knife,
Phillips Driver, Small Flat Driver, Medium Flat Driver,
Large Flat Driver, Ruler, Lanyard Ring, Bottle Opener,
Can Opener, File, Tungsten Carbide Wire Cutters, Wire
Crimper, Ballistic Nylon Berry-Compliant Sheath

P/N: 07520G1 UPC: 0-13658-07520-7
NSN: 5110-01-346-5341

Overall Length: 6.38" (Saf.T.Plus™)
Closed Length: 4.88" (Stainless Steel)
Weight: 9.0 oz. Sheath: Ballistic Nylon



COMBAT ENGINEER KIT – ACU SHEATH
 Mine probe system, MP 600 Multiplier, Recon-M II and Concertina Cutter. MOLLE-Compatible ACU sheath.

P/N: 30-000125 UPC: 0-13658-11391-6
 NSN: 5180-01-578-4887

Overall Length: 9" x 5"
 Weight: 2.7 lbs

Sheath: ACU



COMBAT ENGINEER KIT – COYOTE BROWN SHEATH
 Mine probe system, MP 600 Multiplier, Recon-M II and Concertina Cutter. MOLLE-Compatible Coyote Brown sheath.

P/N: 30-000126 UPC: 0-13658-11392-3
 NSN: 5180-01-578-4886

Overall Length: 9" x 5"
 Weight: 2.7 lbs

Sheath: Coyote Brown



CONCERTINA CUTTER – ACU SHEATH
 Hardened cutter jaws manufactured from specialty tool steel with black matter finish.. Cushion-grip, spring loaded handles for one-handed use. With ACU sheath.

P/N: 22-01511 UPC: 0-13658-01511-1
 NSN: 5110-01-539-9826

Overall Length: 8.5"
 Weight: 1.125 lbs

Handle: Glass-filled Nylon
 Sheath: ACU



CONCERTINA CUTTER – COYOTE BROWN SHEATH
 Hardened cutter jaws manufactured from specialty tool steel with black matter finish.. Cushion-grip, spring loaded handles for one-handed use. With Coyote Brown sheath.

P/N: 30-000074 UPC: 0-13658-11283-4
 NSN: 5110-01-576-8918

Overall Length: 8.5"
 Weight: 1.125 lbs

Handle: Glass-filled Nylon
 Sheath: Coyote Brown

**E-TOOL™ WITH SERRATED BLADE**

Glass-Filled Nylon Handle with a Powder Coated Boron Carbon Steel Spade, Anodized 7075 Aluminium Shaft

P/N: 05942 UPC: 0-13658-05942-9
NSN: 5120-01-476-7556

Overall Length: 23.39" Head: Forged Steel
Closed Length: 9.37" Handle: Glass-filled Nylon
Weight: 40.60 oz.

**E-TOOL™ WITH SERRATED BLADE & PLASTIC SHEATH**

Glass-Filled Nylon Handle with a Powder Coated Boron Carbon Steel Spade, Anodized 7075 Aluminium Shaft . Sheath is H Hardness, Web Belt and MOLLE-Compatible, Foliage Green

P/N: 22-01062 UPC: 0-13658-01062-8

Overall Length: 23.39" Head: Forged Steel
Closed Length: 9.37" Handle: Glass-filled Nylon
Weight: 12.40 oz. Sheath: Molded Plastic

**ID KIT - ACU SHEATH**

eFECT, Recon-M II flashlight, Safety Strap Cutter, Needlenose MP 600 with Carbide Insert, MOLLE-Compatible Tactical Nylon Sheath.

P/N: 30-000365 UPC: 0-13658-12231-4

Sheath with Components Dimensions: 4" x 2" x 6"
Total Kit Weight: 24.04 oz.
Sheath: ACU, MOLLE-Compatible



Coyote Brown Sheath

ID KIT - COYOTE BROWN SHEATH

eFECT, Recon-M II flashlight, Safety Strap Cutter, Needlenose MP 600 with Carbide Insert, MOLLE-Compatible Tactical Nylon Sheath.

P/N: 30-000366 UPC: 0-13658-12232-1

Sheath with Components Dimensions: 4" x 2" x 6"
Total Kit Weight: 24.04 oz.
Sheath: Coyote Brown, MOLLE-Compatible



MultiCam Sheath

ID KIT - MULTICAM SHEATH

eFECT, Recon-M II flashlight, Safety Strap Cutter, Needlenose MP 600 with Carbide Insert, MOLLE-Compatible Tactical Nylon Sheath.

P/N: 30-000367 UPC: 0-13658-12233-8

Sheath with Components Dimensions: 4" x 2" x 6"
Total Kit Weight: 24.04 oz.
Sheath: MultiCam, MOLLE-Compatible

**MAINTENANCE KIT**

MP 600 with carbide insert cutters and replaceable RemGrit® blade, Firecracker Flashlight combo, with Black Ballistic Nylon Sheath.

P/N: 07570 UPC: 0-13658-07570-2

Sheath: Black Ballistic Nylon

**BASIC MINE PROBE KIT WITH SHEATH**

3 nylon probe tips, 3 titanium probe tips, titanium shaft, nylon handle and Black Ballistic Nylon MOLLE-Compatible and Berry-Compliant Sheath.

P/N: 05984 UPC: 0-13658-05982-5
NSN: 5180-01-516-3233

Weight: 13.6 oz.
Handle: Nylon
Sheath: Black Ballistic Nylon, MOLLE-Compatible

**DELUXE MINE PROBE KIT WITH SHEATH**

3 nylon probe tips, 3 titanium probe tips, titanium shaft, nylon handle, Infinity Ultra task light, DET Multi-Plier and Black Ballistic Nylon MOLLE-Compatible and Berry-Compliant Sheath.

P/N: 05982 UPC: 0-13658-05982-5
NSN: 5180-01-516-3229

Weight: 13.6 oz.
Handle: Nylon
Sheath: Black Ballistic Nylon, MOLLE-Compatible




OFF-ROAD SURVIVAL KIT

MP 600, BackPax[™], Folding spade, Expert-M Flashlight, Concertina Wire Cutter, Exchange-A-Blade[™] saw, and a compact durable case.

P/N: 05635 UPC: 0-13658-12233-8
 NSN: 5180-01-457-5621

Weight: 194.0 oz.



WEAPONS CLEANING KITS



P/N: 22-01104

WEAPONS CLEANING KITS

Black Needle-nose MP 600 with carbide cutter inserts, Infinity Ultra Task Light[™], with red L.E.D., Black ballistic sheath – MOLLE Equipped, detailed instruction sheets, cleans properly from breach to muzzle, Contain DTIS Technology[®] weapon cleaning systems for the weapons listed.

P/N: 22-01104 UPC: 0-13658-12233-8
 NSN: 5180-01-516-3224

Weight: 24.8 oz.

M4/M16

Cleans and maintains all 5.56 caliber weapons systems. Complete optics cleaning components

P/N: 22-01100
 NSN: 5110-01-516-3219

Weight 32.0 oz.

7.62MM

For 7.62, M40, M240, M60 weapons systems. Special tools for mission critical situations

P/N: 22-01101
 NSN: 5110-01-516-3218

Weight 22.4 oz.

PISTOL/SUB-GUN

For 9mm pistols & sub-guns. Heavy-duty bore brush

P/N: 22-01102
 NSN: 5110-01-516-3220

Weight 20.2 oz.

SHOTGUN

One-step operation for 12 ga. Shotgun. Special brushes & tools to clean beyond the barrel

P/N: 22-01103
 NSN: 5110-01-516-3222

Weight 22.0 oz.

RIFLE/SHOTGUN/PISTOL

For Pistols & sub-guns 9mm through 45 caliber. 5.56 & 7.62 caliber rifles. 12 ga. Shotguns

P/N: 22-01105
 NSN: 5110-01-516-3225

Weight 32.0 oz.

PISTOL/SUB-GUN

Pistols & sub-guns 9mm through 45 caliber. Clean automatics without disassembly

P/N: 22-01106
 NSN: 5110-01-516-3227

Weight 22.4 oz.



GERBER LEGENDARY BLADES

14200 SW 72nd Avenue
Portland, OR 97224
www.militarygerber.com
©2010 Fiskars Brands, Inc.
A Fiskars Brands Company



Revised 2-21-11